

(Note: This article was exported as PDF from our Support Wiki. We apologize for any imperfect formatting.)

# Asentria Feature Guide

## TeleBoss Delete Function

(Revised 11 November 2020)

### Delete File(n)

SA <filename> will release the data to the text editor, example SA (FILE1).

Adding a d to that command string will delete the records in the file, example SA (FILE1) d.

The disadvantage to deleting files this way is that if a file is very full it can take a long time to release to the text editor. The shortcut that increases the speed to clear a single file is to check how many records in the file using the dir command and then do a SA FILEn @recordCountMinusAFew D.

That deletes all the records too. So here is an example of me doing that:

```
>dir
Filename      Records
FILE1         00000792
FILE2         00000151
EVENTS        00000840
AUDIT         00001734
COMPLETE
>sa file1 @790 D
Test Record 1234563456789d123456789
Test Record 1234563456789d123456789

END DATA

>dir
Filename      Records
FILE1         00000000
FILE2         00000151
EVENTS        00000840
AUDIT         00001736
COMPLETE
>
```

To delete all records in all files, including the Audit and Event files, you can use `execc dlcmd zero`. That is a one shot command, but beware - it clears ALL files.

---

## History Table

Date	Description
11 Nov 20	Added History Table
11 Nov 20	Updated wiki formatting

If you have other questions regarding Asentria products, please contact:

Asentria Technical Support  
1200 North 96th St.  
Seattle, WA 98103  
+1 206-344-8800  
[seattle-support@trystar.com](mailto:seattle-support@trystar.com)  
[www.asentria.com](http://www.asentria.com)