

(Note: This article was exported to PDF from our Support Wiki. We apologize for any imperfect formatting)

Asentria Feature Guide

TeleBoss Delete Function

(Revised 11 November 2020)

Delete File(n)

SA <filename> will release the data to the text editor, example SA (FILE1).

Adding a d to that command string will delete the records in the file, example SA (FILE1) d.

The disadvantage to deleting files this way is that if a file is very full it can take a long time to release to the text editor. The shortcut that increases the speed to clear a single file is to check how many records in the file using the dir command and then do a SA FILEn @recordCountMinusAFew D.

That deletes all the records too. So here is an example of me doing that:

```
>dir
Filename
            Records
FILE1
           00000792
FILE2
           00000151
EVENTS
           00000840
AUDIT
          00001734
COMPLETE
>sa file1 @790 D
Test Record 1234563456789d123456789
Test Record 1234563456789d123456789
END DATA
>dir
Filename
            Records
          00000000
FILE1
FILE2
          00000151
EVENTS
          00000840
AUDIT
          00001736
COMPLETE
```

To delete all records in all files, including the Audit and Event files, you can use execc dllcmd zero. That is a one shot command, but beware - it clears ALL files.

Delete File Page 1



History Table

Date	Description
11 Nov 20	Added History Table
11 Nov 20	Updated wiki formatting

If you have other questions regarding Asentria products, please contact:

Asentria Technical Support

1200 North 96th St. Seattle, WA 98103 206.344.8800 support@asentria.com portal.asentria.com

Delete File Page 2